

CHICAGO MOVABLE BRIDGE PRESERVATION PLAN

ATTACHMENT 2 Chicago's Movable Bridges Inventory Chart

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ι | ANDMARK STATU | os. | HAER Status | IL HIER# |
|-----------------------------------|-----------------------------------|-------------------|---|----------|-----------------|-----------------|-----------------|---------------------------------|---|-------------|--|----------------------|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction | Bridge I Structu | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| Firs | t Gener | ratior | ո։ 190 | 0-10 | (4 bridges: 3 b | ascule, 1 Scher | zer design) | | | | | | | | | | |
| 01 | CORTLAND ST 016-6011 | 1901-02 | Double-leaf trunnion bascule with 3 through trusses | NO | | | | #2 W. Division St and #4 Kinzie | Oldest example of a "First Generation" trunnion bascule bridge developed by City of Chicago bridge engineers in 1900. Innovative design, remarkable innovation; became model for bridge builders worldwide. | | Northeast bridge house reconstructed in 1982. | | No | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Chicago Landmark 1991 National Historic Civil Engineering Landmark 1982 Illinois Historic Bridge List | IL-138 | CK-2017-1 |
| 02 | W DIVISION ST (RIVER) 016-6016 | 1902-04 | Double-leaf trunnion bascule with 3 through trusses | NO | | | | #1 Cortland and #4 Kinzie | Rebuilt example of "First Generation" trunnion bascule bridges | | | | NO | YES This bridge was determined eligible for the NRHP by the SHPO end of 2010/early 2011. | Illinois Historic Bridge List | IL-148 | CK-2017-2 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATI | JS | HAER Status | IL HIER # |
|-----------------------------------|---------------------------------------|-------------------|---|----------|--------------|--------------|-----------------|------------------------------------|--|------------------|---------------|----------------------|--|---|--|-------------|--------------|
| Bridge # in order of construction | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 03 | CERMAK RD 016-6007 | 1904-06 | Double-leaf Scherzer Rolling-lift bridge with through trusses and overhead counterweights | NO | | | | N/A | Rare surviving example of Scherzer rolling- lift bascule bridge in Chicago. Only two survive in Chicago: This roadway bridge and the Pennsylvania Railroad eight- track bridge over the Sanitary and Ship Canal (1910) | | | | YES Not individually listed, but located in a NRHP-listed historic district (Cermak Road Bridge Historic District), which was listed in 2012. | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Contributing within the Cermak Road Bridge District, 2006 Illinois Historic Bridge List | IL-50 | CK-2017-3 |
| 04 | KINZIE ST 016-6028 | 1908-09 | Single-leaf trunnion bascule with 3 through trusses | NO | | | | #1 Cortland and #2 W. Division St. | Rebuilt example of "First Generation" trunnion bascule bridges | Rare single leaf | | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Illinois Historic Bridge List | IL-134 | CK-2017-4 |

| ID NUMBER | | | | | | BRIDGE | DENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | s | HAER Status | IL HIER # |
|--|---------------------------------------|-------------------|--|----------|----------------|--------------|---------------|---|---|-------------|---|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER# | IL HIER ID # |
| Seco | ond Gei | nerat | ion: 1 | 911- | 30 (21 bascule | bridges) | | | | | | | | | | | |
| 05 | WASHINGTON ST 016-6053 | 1911-13 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #6 Grand, #7 Chicago, #8 Ewing, #10 Webster | Oldest extant double leaf trunnion bridge with pony trusses; earliest in loop with Classical bridge houses | | Classically styled bridge houses unique for their molded sheet copper cladding and ornamental roofs, influenced by Edward Bennett. (They appear to have been rebuilt) | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Illinois Historic Bridge List | ال-38 | CK-2017-5 |
| 06 | GRAND AVE 016-6021 | 1912-14 | Double-leaf trunnion bascule with 2 pony trusses | NO | | | | #5 Washington, #7 Chicago, #8 Ewing, #10 Webster | | | Wood bridge houses | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | ור-139 | CK-2017-6 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | s | HAER Status | IL HIER # |
|--|---------------------------------------|-------------------|--|----------|--------------|--------------|-----------------|---|------------|-------------|--|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 07 | CHICAGO AVE 016-6008 | 1913-14 | Double-leaf trunnion bascule with 2 pony trusses | NO | | | | #5 Washington, #6 Grand, #8 Ewing, #10 Webster | | | Unique copper bridge house upper | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. (although SIMS database does not indicate bridge is eligible) | | IL-144 | CK-2017-7 |
| 08 | EWING AVE 016-6037 | 1912-14 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #5 Washington, #6 Grand, #7 Chicago, #10 Webster | | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-8 |

| ID NUMBER | | | | | | BRIDGE | IDENTIFICATION | | | HISTORIC S | GNIFICANCE | | 1 | ANDMARK STATU | s | HAER Status | IL HIER # |
|-----------------------------------|---------------------------------------|-------------------|--|----------|--------------|--------------|----------------|--|---|------------|---|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 09 | JACKSON BLVD 016-6026 | 1914-16 | Double-leaf Strauss trunnion bascule with 2 deck trusses | YES | | | | #19 Adams | First bridge in Chicago to utilize deck trusses beneath the roadway, allowing ornamental handrails to be seen; was a Prototype for later bridges. One of few remaining vehicular bridges designed by Strauss Bascule Bridge Co. | | Classically styled operators' houses with mansard roofs designed according to plans submitted by Bennett and served as prototypes for future downtown bridges. (resembles bridge illustrated in 1909 Plan of Chicago. | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | IL-55 | CK-2017-9 |
| 10 | WEBSTER AVE 016-6057 | 1913-16 | Double-leaf trunnion bascule with 2 pony trusses | NO | | | | #5 Washington, #6 Grand, #7 Chicago, #8 Ewing | Reconstructed | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-10 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC S | GNIFICANCE | | ı | ANDMARK STATU | JS | HAER Status | IL HIER # |
|-----------------------------------|---------------------------------------|-------------------|---|----------|--------------|--------------|-----------------|---|--|------------|---|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER# | IL HIER ID # |
| 11 | LAKE ST 016-6029 | 1914-16 | Double-leaf bascule with two double-deck through trusses | YES | | | CINCLES SENTING | N/A | Significant as first double-deck, double-leaf bascule; used as prototype for Wells, Michigan and Outer Drive; concrete abutments and bridge houses used as model | | Bridge houses used as a model; resemble those at Jackson Boulevard also completed in 1916. | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Illinois Historic Bridge List | | CK-2017-11 |
| 12 | W MONROE ST 016-6036 | 1915-19 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #14 Franklin-Orleans Alternate interpretation: compare to Webster (in loop: Washington, Grand, Chicago) | pony truss (Bennett) Double leaf | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | 11-53 | CK-2017-12 |

| ID NUMBER | | | | | | BRIDGE | IDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | us | HAER Status | IL HIER # |
|-----------------------------------|---------------------------------------|-------------------|--|----------|--------------|--------------|----------------|--|---|---|---------------|----------------------|--|--|---|-------------|--------------|
| Bridge # in order of construction | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER# | IL HIER ID # |
| 13 | MICHIGAN AVE 016-6035 | 1918-20 | Double-deck trunnion bascule with four leaves and deck trusses | YES | | | | N/A | featuring the gracefully arched deck trusses situated below the roadway. Unique double- | Key element of Burnham and Bennett's 1909 Plan of Chicago; design by Edward Bennett; important role as gateway to | | | YES Not individually listed, but a contributing resource to the NRHP-listed Michigan- Wacker Historic District in 1991. | determined NRHP-Eligible by the Keeper of the National | Individual landmark 1991 Illinois Historic Bridge List | IL-37 | CK-2017-13 |
| 14 | FRANKLIN-ORLEANS ST 016-6020 | 1917-20 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #12 W. Monroe Alternate interpretation: compare to Webster (in loop: Washington, Grand, Chicago) | | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | 11-65 | CK-2017-14 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | JS | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|-----------------|---|---|-------------|---|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 15 | N WELLS ST 016-6054 | 1917-22 | Double-leaf trunnion bascule with 2 double-deck through trusses | YES | | | | N/A | | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | 11-52 | CK-2017-15 |
| 16 | MADISON ST 016-6034 | 1919-22 | Double-leaf trunnion bascule with 2 rail-height trusses | YES | | | | #25 Wabash, built 10 years later [1929-1930] | First with rail- height trusses that are mainly situated below the bridge deck. | | Rail height trusses recommended by consulting architect Bennett. | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-16 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | s | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|--|----------|----------------------------|----------------------------|-----------------|----------------|--|-------------|---|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 17 | S CALIFORNIA AVE 016-6005 | 1924-26 | Double-leaf trunnion bascule with 2 pony trusses | NO | No Bridge Houses Extant | No Bridge Houses Extant | | #18 S Cicero | Rare example of vehicular bridge in Chicago constructed according to the designs of the Strauss Bascule Bridge Company | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-17 |
| 18 | S CICERO AVE 016-6009 | 1924-27 | Double-leaf trunnion bascule with 2 pony trusses | NO | | | | #17 California | Rare example of vehicular bridge in Chicago constructed according to the designs of the Strauss Bascule Bridge Company | | Bridge houses appear to have been changed, reconstructed or constructed c.1942 | | NO | This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-18 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ı | ANDMARK STATU | US | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|--|----------|--------------|--------------|-----------------|------------|------------|-------------|--|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER# | IL HIER ID # |
| 19 | ADAMS ST 016-6001 | 1923-27 | Double-leaf trunnion bascule with 2 deck trusses | YES | | | | #9 Jackson | | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | ור-12 | CK-2017-19 |
| 20 | 100TH ST 016-6042 | 1925-27 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #24 106th | | | Classically styled octagonal shaped operators houses sheathed in brick are structurally and aesthetically similar to those built in the Loop business district | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-20 |

| ID NUMBER | | | | | | BRIDGE | DENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | JS | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|---------------|-------------------------------|---|-------------|---|----------------------|--|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 21 | ROOSEVELT ROAD 016-6047 | 1927-30 | Double-leaf trunnion bascule with 2 deck trusses | YES | | | | N/A | | | Round bridge houses unique in Chicago | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-21 |
| 22 | N LASALLE ST 016-6032 | 1926-28 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | Nearly identical to #23 Clark | Pony trusses with high tail ends nearly identical to adjacent Clark Street Bridge. | | Key element of 1909 plan; tied to LaSalle widening; served as Gateway to LaSalle financial district; has 4 bridge houses; ornamentation second only to Michigan Ave. | | YES Bridge is a contributing resource within the NRHP-listed West Loop - LaSalle Street Historic District, 2013. | during coordination for | | 11-66 | CK-2017-22 |

| ID NUMBER | | | | | | BRIDGE | DENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ι | ANDMARK STATU | US | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|---------------|---------------------------------|------------|-------------|--|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 23 | N CLARK ST 016-6010 | 1928-29 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | Nearly identical to #22 LaSalle | | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | Illinois Historic Bridge List | 11-64 | CK-2017-23 |
| 24 | 106TH ST 016-6043 | 1927-29 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | #20 100th St. | | | Classically styled octagonal shaped operators houses sheathed in brick are structurally & aesthetically similar to those built in the Loop business district | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | 11-150 | CK-2017-24 |

| ID NUMBER | | | | | | BRIDGI | E IDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | JS | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|------------------|--|--|-------------|--|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 25 | WABASH AVE 016-6052 | 1929-30 | Double-leaf trunnion bascule with 2 rail- height trusses | YES | | | | #16 Madison, built 10 years previous [1919- 22] | Rail-height trusses (see #16 Madison) Selected in 1931 by the American Institute of Steel Construction as "the most beautiful span" | | Potential significance as last Bennett before streamlined bridge designs for bridge houses; Transitional style - elements of Classical and Art Deco. | | Rringe is | YES The bridge itself was determined NRHP-Eligible by the Keeper of the National Register in 1998. | | IL-48 | CK-2017-25 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | IGNIFICANCE | | ι | ANDMARK STATU | is | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|--|----------|----------------|-----------------|-----------------|------------|---|-------------|--|--|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| Thir | rd Gene | eratio | n: 193 | 32-49 | (7 bascule bri | dges; 1 vertica | lift bridge) | - | | | | | | | | | |
| 26 | S HALSTED ST 016-6024 | 1932-34 | Double-leaf trunnion bascule with 3 pony trusses | YES | FFE | | | N/A | | | First Art Deco/Moderne bridge houses. Similar design motifs found at #33 State St. bridge houses | THE COUNTY OF TH | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | | CK-2017-26 |
| 27 | N ASHLAND AVE 016-6002 | 1934-36 | Double-leaf trunnion bascule with 2 pony trusses | NO | | | | N/A | Potential significance as first streamlined/art deco plus Ashland Ave widen | | Significant bas relief panels | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | | CK-2017-27 |

| ID NUMBER | | | | | | BRIDGE | IDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ı | ANDMARK STATU | JS | HAER Status | IL HIER # |
|--|---------------------------------------|--------------------|--|----------|--------------|--------------|----------------|------------|--|-------------|--|----------------------|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 28 | OUTER LAKE SHORE DRIVE 016-6030 | 1931-32 1935-37 | Double-leaf, two level, trunnion bascule with four deck trusses | YES | | | | N/A | Was lauded as longest and widest at time; civic improvement LSD | | Historic significance as gateway to Chicago River | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 1998. | Illinois Historic Bridge List | IL-54 | CK-2017-28 |
| 29 | S ASHLAND AVE 016-6003 | 1936-38 | Double-leaf trunnion bascule with 3 pony trusses | YES | | | | N/A | | | Brick version of art deco bridge house | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | | CK-2017-29 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ι | ANDMARK STATU | s | HAER Status | IL HIER # |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|-----------------|------------|---|-------------|---------------|----------------------|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 30 | TORRENCE AVE 016-6050 | 1935-37 | Single level, Vertical-lift bridge with through trusses | YES | | | | N/A | Only vertical lift for vehicular use in Chicago | | | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | | CK-2017-30 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC S | GNIFICANCE | | ι | ANDMARK STATU | ıs | HAER Status | IL HIER# |
|-----------------------------------|---------------------------------------|--------------------|---|----------|--------------|--------------|-----------------|------------|------------|------------|--|----------------------|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 31 | SOUTH WESTERN AVE 016-6056 | 1939-40 | Fixed plate-girder bridge (first a fixed plate girder; converted to vertical lift; deconverted 1988) | NO | | | | N/A | | | Possible significance re: only bridge elements designed by architect Scipione Del Campo Art Deco design aesthetic | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | IL-40 | CK-2017-31 |
| 32 | CANAL STREET 016-6006 | 1942-43 1946-48 | Double-leaf trunnion bascule with 2 pony trusses | YES | | | | N/A | | | Rare decorative brick bridge house | | NO | YES The bridge was determined NRHP-Eligible by the Keeper of the National Register in 2017. | | 11-137 | CK-2017-32 |

| 33 | Bridge # in order of construction date |
|-----------------------|---|
| | Bridge Name: IDOT Structure Number |
| | Construction Date |
| cule with 3 es | Bridge Type |
| | Operable |
| | Bridge House |
| | Bridge House |
| | Bridge View |
| | Compare to |
| | Structural |
| | Historical |
| | Architectural |
| | Exceptional Features |
| | National Register Listed |
| YES The bridge was | National Register Eligible (YES/NO) |
| | Chicago Local Landmark or Other Designation |
| | Nat HAER # |
| | IL HIER ID # |

Fourth Generation: 1952-67 (8 bascule bridges) (also 50-year cut-off for NR listing)

| N HALSTED ST 016-6023 1952-55 Double-leaf trunnion bascule with 2 deck trusses S N/A | Last bridge houses to be constructed with the octagonal plan NO YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. |
|--|--|
|--|--|

| ID NUMBER | | | | | | BRIDGE | E IDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | ı | ANDMARK STATU | s | HAER Status | IL HIER# |
|--|---|-------------------|---|----------|--------------|--------------|------------------|------------|------------|-------------|--|----------------------|--------------------------|---|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 35 | (I-290) CONGRESS PARKWAY 016-2445 | 1950-56 | Pair of double-leaf (four total leaf) trunnion bascule bridges, each with 2 deck trusses | YES | | | | N/A | | | Possible significance re: 1950s highway expansion | | NO | NO Per the federal exemption, no interstate bridges can be determined to be historic. | | | CK-2017-35 |
| 36 | VAN BUREN ST 016-6051 | 1953-56 | Double-leaf trunnion bascule with 2 rail-height trusses | YES | | | | N/A | | | | | NO | YES The bridge was determined NRHP-Eligible by the SHPO during previous project coordination prior to 2017. | | | CK-2017-36 |

| ID NUMBER | | | | | | BRIDGE | DENTIFICATION | | | HISTORIC SI | GNIFICANCE | | I | ANDMARK STATU | S | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|---------------|------------|---------------|-------------|--|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 37 | 95TH STREET 016-6038 | 1953-58 | Double-leaf trunnion bascule bridge with 2 pony trusses | YES | | | | N/A | Through truss | | This seems like the last of its kind with pony trusses. Art Deco/moderne bridge house | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-37 |
| 38 | HARRISON ST 016-6025 | 1958-60 | Double-leaf trunnion bascule with 2 rail-height trusses | YES | | | | N/A | Deck truss | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-38 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | ıs | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|-----------------|------------|------------|-------------|---------------|----------------------|--------------------------|--|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 39 | KENNEDY EV FEEDER 016-0202 | 1961 | Four-leaf, trunnion type bascule bridge | YES | | | | N/A | Deck truss | | | | NO | NO Per the federal exemption, no interstate bridges can be determined to be historic. | | | CK-2017-39 |
| 40 | DEARBORN ST 016-6014 | 1959-63 | Double-leaf trunnion bascule with 2 rail-height trusses | YES | | | | N/A | Deck truss | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-40 |
| 41 | 18TH STREET 016-6017 | 1966-67 | Single-leaf, trunnion type Bascule Bridge | YES | | | | N/A | Deck truss | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-41 |

| ID NUMBER | | | | | | BRIDGE | EIDENTIFICATION | | | HISTORIC SI | GNIFICANCE | | L | ANDMARK STATU | JS | HAER Status | IL HIER# |
|--|---------------------------------------|-------------------|-------------|----------|--------------|--------------|-----------------|------------|------------|-------------|---------------|----------------------|--------------------------|-------------------------------------|---|-------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |

Fifth Generation: 1976-1984 "Modern Bridges" (3 bascule bridges)

| 42 | LOOMIS ST 016-6033 | 1976 (replaced 1904 bridge) | Double-leaf, trunnion type bascule bridge | YES | | N/A | Deck truss | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | CK-2017-42 |
|----|----------------------------|-----------------------------|--|-----|--|-----|---|----------------------|----|--|--|------------|
| 43 | COLUMBUS DRIVE 016-6101 | 1980-82 | Double-leaf, trunnion type bascule bridge | YES | | N/A | Built-up box girders Granted a design award by the American Institute of Steel Construction shortly after completion | Decorative panels | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | CK-2017-43 |

| ID NUMBER | BRIDGE IDENTIFICATION | | | | | | | HISTORIC SIGNIFICANCE | | | | LANDMARK STATUS | | | HAER Status | IL HIER # | |
|--|---------------------------------------|-------------------|---|----------|--------------|--------------|-------------|-----------------------|--|------------|---------------|----------------------|--------------------------|--|---|------------|--------------|
| Bridge # in order of construction date | Bridge Name: IDOT Structure Number | Construction Date | Bridge Type | Operable | Bridge House | Bridge House | Bridge View | Compare to | Structural | Historical | Architectural | Exceptional Features | National Register Listed | National Register Eligible (YES/NO) | Chicago Local Landmark or Other Designation | Nat HAER # | IL HIER ID # |
| 44 | RANDOLPH ST 016-6102 | 1981-84 | Double-leaf, trunnion type bascule bridge | YES | | | | N/A | Truss and built- up box girders Granted a design award by the American Institute of Steel Construction shortly after completion | | | | NO | YES This bridge was determined NRHP-Eligible by the SHPO during coordination for a previous project prior to 2017. | | | CK-2017-44 |